

DESCRIPTION


A real time saver. This handline block may be quickly put on or taken off the rope. No lost time untying knots or worrying with frayed rope ends.

Safety locking when closed. The frame is secured until opened by the user. They will not open accidentally.

Safe, strong and practical, these blocks are constructed similarly to our regular standard thread style handline blocks.

A choice of self-lube bronze bearings or ball bearings is offered.

QUICK-THREADING BLOCK



BLOCK OPEN FOR THREADING

CLOSED VIEW WITH EYE

Series A154

LINEMEN'S HANDLINE BLOCKS

MODEL NUMBER	SHEAVE DIAMETER	ROPE SIZE	WORKING LOAD POUNDS	WEIGHT IN POUNDS
A154-E	2-1/2"	1/2"	450	1.5
A154-1	2-1/2"	1/2"	450	1.5
A154-2	2-1/2"	1/2"	450	1.5
A154-A	2-1/2"	1/2"	450	1.5
A154-B	2-1/2"	1/2"	450	1.5
A154-C	2-1/2"	1/2"	450	1.5
A154-3	2-1/2"	1/2"	450	1.5
A154-4	2-1/2"	1/2"	450	1.5
A54-4A	2-1/2"	1/2"	450	1.5

SUSPENSION FITTING ATTACHMENTS

No. 1	No. 2	No. 2-E	No. 3	No. 4 & No. 4-A	No. 5
Large Hook with Ribbed Back	Hook with Safety Latch	Hook with Safety Latch and Eye	Snap Hook	Super-Safe Hook (4") & (5")	Swivel Hook with Safety Latch

NOTE: The hooks listed above are available individually or as components of blocks.

HOOK NUMBER	DESCRIPTION	WORKING LOAD POUNDS
1	A very useful block hook. It has a loose swivel connection, and may be folded over and attached to a pin-type insulator, or other anchorage.	450
2	Regular style plain hook with safety latch.	450
2-E	Regular style plain hook with safety latch and eye/ring.	450

3	A safe, small hook used in a block or separately on a handline.	450
4	An all-purpose hook. It may be attached to endless handline or other rope without removing knots, etc., quickly. It is safe and must be manually removed.	450
4-A	An all-purpose hook. It may be attached to endless handline or other rope without removing knots, etc., quickly. It is safe and must be manually removed.	450

No. 5
Loose Swivel Hook with Safety Latch

THROAT CAPACITY
2-1/4"

